United We Stand FY22

Planning/

		Planning/						
Entity	Amount requ	Operations	Training	Equipment	Staff Recommnd	Items Requested	Notes	Rcvd Date
STOREY COUNTY	32,000.00			32,000.00	approve	Video Surveillance/Justic center, Ballistic Sheild and NAR-4 chest pouch and combat guaze	information and information sharing, Prevention/Protections	4.13.21
DOUGLAS COUNTY	26,644.00			26,644.00		Riot Batons, riot shields, gas mask, thermal camera kits, thermal camera truck chargers, SKED Basic Rescue System, Scott Sight TICs, Scott Voic Amps	Operational Coordination	4/20/2021
LINCOLN COUNTY	31,985.00			31,985.00	for approve	SCBA packages, with face masks, rechargable battery packs	Operational coordination	4.21.21
ELKO COUNTY	32,000.00			32,000.00	approve	rhodium incident software, skydio /3D scanning , passport accounability passport w/ nametags	Operational coordination. Communications	4.22.21
ESMERALDA COUNTY	24,892.00			24,892.00	comm.	Defibulator, Pediatric pads, Installation/ACTIVATION of internet and VOIP, Subscription of VOIP and internet	HOW will help combat terrorism? Priorties don't state how they address the priorities, Comp. Conting LOR needed updated/corrected, NOT RCVD YET	4.22.21

FY22 UWS

WHITE PINE COUNTY	31.998.00		31,998.00	approve	AED w.battery, Tactical gear, Radio w/ Accessories and batteries, turnouts, emergency Supply buckets// Interoperability filled out	operational communication Intelligence and information	4.24.21
PERSHING COUNTY	21,936.00	7,468.00	14,468.00	approve	LEO Response to Active shooter class basic crisis negotiations , Kevlar helmets, storage bags, IFAKS	operations and operational coordination	4.26.21
HUBOLDT COUNTY	19,996.00		19,996.00	Recommend for approve	DRONEx2	information and informaion sharing; operational coordination	4.26.21
WASHOE COUNTY	32,000.00		32,000.00	approve	ballistic Helmets, Plates, PercussionDisrupte aiming lazers	Operational coordination	4.26.21
CHURCHILL	17,708.00		17,708.00		ballistic body protection (head, plates, groin, ear sheilds, identification patch// prioritiy states Response c/b operational coordination	Response,	4.26.21
CARSON CITY	31,925.00			approved	Night vision monocular, and scope, laser illuminiator aglite Hemlet covere	Intelligence and information sharing. Operational Coordination and communication	4.27.21
NVSFM	15,546.00		15,546.00		Bleed Control Kits, tourniquets, AR15, rifle optic, w/ Accessories	Response operational Coordination	4.26.21
NV HIGHWAY PATROL	18,589.00				Video Surveillance/Equipment to help with any actions against law enforcement	Prevention/Protection	4.26.21

FY22 UWS

CLARK	32,000.00	230.00	21,770.00	signatures another quote	monitors.	FY18 Priorities not identified and didn't state how, Not sure how evidence items fit UWS, only 1 quotes for items,	5.1.21//5.12.21

TOTAL 337,221.00

FY22 SERC OPTE

Entity	Amount requested	Planning	Training	Equipment	Operations	Level of Response	Compliant	Amount Approved	Items Requested	Notes	Rcvd signed Award back
CARSON	26,526.00)		22,526.00	4,000.00	Technician	YES			Thermal Imagers, raelink modem kits, license,	
STOREY	28,950.00			24,950.00	4,000.00	Technician	yes			G1 ECTEDSAIR , 60min cylinder w air, red L-2 Bag	
HUMBOLDT	28,142.00)		24,142.00	4,000.00	Operations	Yes			RADIOS W./programming & accessories	
DOUGLAS	29,000.00			25,000.00	4,000.00	Operations	Yes			scott sight, hazmat suits, Radios and HazmatIQ KITS	
LINCOLN	29,000.00			25,000.00	4,000.00	Operations	Yes			SCBA Set ups with Mask/Face pieces	
WASHOE	29,000.00			25,000.00	4,000.00	Operations	Yes			Toxic vaper analyzer, replacement harrness	
MINERAL	16,133.00)		12,133.00		Operations	CONTNG			Glow in the dark Detectore Multigas, calibration kits, cyclinder holder, test system.	
ESMERALDA					4,000.00	Awareness	CONTNG				
PERSHING	28,960.00)		24,960.00	4,000.00	Awareness	yes			SCBA MSA CUSTOM, facepiece, air cyclinder w. quick connect	
ELKO	29,000.00			25,000.00	,	Technician	Yes			Multirae detector, Ipads,mavic 2 remote, laptop, Satelite communication setup, sattelite, monthly subscription, motorola SVR Vehicle Repeater, ARFF Radio, Mutirae detector reburbismentx3	
EUREKA	29,000.00)		25,000.00	4,000.00	Awareness	Yes			Outdoor community mass notification system	
WHITE PINE	28,965.00)		24,965.00		Operations	yes			Laptop, radios w/ accessories, gas detectorsx3, turnouts, emergency supply buckets	
CHURCHILL	28,970.60			24,970.60		Operations	CONTING			maxiforce lifting bags(multi sizes), G2 Master control kit, rechargable area lights, 72" portable screen, blitztrac portable ground monitor, stacked nozzle tips	
CLARK	29,000.00	'	1	25,000.00	4,000.00	Technician	CONTNG	1	1	Atmospheric monitors w/ gases	I

TOTAL 360,646.60

Entity	Amount requested	Planning	Training	Submitted to PHMSA	Compliant	Items Requested	Notes
ELKO	24,255.00		24,255.00		Yes	Blue Card Training Prgram	AR should have the budget breakout, This page is a 1 page grant review for PHMSA to review grant all in one.
WASHOE	7,770.00		7,770.00		YES	HAZWOPER	only 1 quote and NO Declination letters from SFM or DEM
STOREY	7,415.00	7,415.00			YES	ALL Clear consulting: Assess, test, Evaluate, Emergency response plan.	AR should have the budget breakout; very well completed otherwise.
CLARK #1	26,136.00		26,136.00		Yes as of 5/17/21	40 hr Refresher HAZMAT Technician Course in Colorado Springs,CO	Application was orignally Rcvd no completed/ Asked to be updated with completed required information, Amount for Grant increased, Still need Mtg Minutes, only 1 quote rcvd for car rental an airfare, GSA rates on Application not correct for Area Destination. Activity Report not Updated/completed with correct amounts, should have the budget breakout
CLARK #2	75,045.00		75,045.00		Yes as of 5/17/21	w/ Charger,	** PHMSA Does not allow for Equipment for any response/ Operational use. Application was orignally Rcvd not completed/ Asked to be updated with completed required information, Still need Mtg Minutes, Travel expenses for Training to be broken out in detail on app & A/R, Compliance certification to be checked off and signed with application pages.

CLARK #3	19,381.00	19,381.00	5/17/21	4 Gas Monitors, 6 CO2 Monitors, 1 testing station w/ gases	** PHMSA Does not allow for Equipment for any response/ Operational use which application states it would be. A/R w/breakdown of equipment include., Compliance certification to be checked off and signed with application pages. Meeting Minutes needed.